ELSEVIER

Aquaculture 151 (1997) vi–viii

Aquaculture

Contents

Introduction 1

Proteins and Amino Acids

Re-evaluation of protein and amino acid requirements of rainbow trout (*Oncorhynchus mykiss*)
K.-I. Kim (Cheju, South Korea) 3

Threonine requirement of juvenile marine shrimp *Penaeus monodon*
O.M. Millamena, M.N. Bautista, O.S. Reyes (Iloilo, Philippines) and A. Kanazawa (Kagoshima, Japan) 9

Plasma amino acids in rainbow trout (*Oncorhynchus mykiss*) . fed intact protein or a crystalline amino acid diet
A. Schuhmacher, C. Wax and J.M. Gropp (Leipzig, Germany) 15

Effects of enzyme addition to canola meal in prawn diets
J. Buchanan (St Lucia, Qld., Australia), H.Z. Sarac (Bribie Island, Qld., Australia), D. Poppi (St Lucia, Qld., Australia) and R.T. Cowan (Ipswich, Qld., Australia) 29

Nutrient digestibility coefficients of some plant and animal proteins for rohu (*Labeo rohita*)
M.A. Hossain, N. Nahar and M. Kamal (Mymensingh, Bangladesh) 37

Evaluation of poultry-feather meal as a dietary protein source for Indian major carp, *Labeo rohita* fry
M.R. Hasan, M.S. Haq, P.M. Das (Mymensingh, Bangladesh) and G. Mowlah (Dhaka, Bangladesh) 47

Evaluation of some plant ingredients as dietary protein sources for common carp (*Cyprinus carpio* L.) fry
M.R. Hasan (Mymensingh, Bangladesh), D.J. Macintosh and K. Jauncey (Stirling, UK) . . . 55

Formulation of cost-effective feeds from locally available ingredients for carp polyculture system for increased production
M.A. Mazid, M. Zaher, N.N. Begum, M.Z. Ali and F. Nahar (Mymensingh, Bangladesh) . . . 71

Carbohydrates and Lipids

Utilization of carbohydrates in warmwater fish—with particular reference to tilapia, *Oreochromis niloticus* × *O. aureus*
S.Y. Shiau (Keelung, Taiwan, ROC) 79

Effects of variation in essential fatty acids in fish feeds on nutritive value of freshwater fish for humans
W. Steffens (Berlin, Germany) 97

Changes in shrimp feed quality and effects on growth and survival of *Penaeus monodon* juveniles
M.N. Bautista and P.F. Subosa (Iloilo, Philippines) 121

Growth and fatty acid composition of juvenile leader prawns, *Penaeus monodon*, fed different lipids
M.J. Deering, D.R. Fielder (St. Lucia, Qld., Australia) and D.R. Hewitt (Bribie Island, Qld., Australia) 131

Growth response and fatty acid composition of juvenile *Penaeus vannamei* fed different sources of dietary lipid
C. Lim (Kaneohe, HI, USA), H. Ako (Honolulu, HI, USA), C.L. Brown and K. Hahn (Kaneohe, HI, USA) 143
Lipid digestion in turbot (*Scophthalmus maximus*): in-vivo and in-vitro studies of the lipolytic activity in various segments of the digestive tract
W.M. Koven (Eilat, Israel), R.J. Henderson and J.R. Sargent (Stirling, UK) 155
The effects of dietary fat content on performance and body composition of farmed rainbow trout (*Oncorhynchus mykiss*)
R.N. Weatherup, K.J. McCracken, R. Foy (Belfast, UK), D. Rice, J. McKendry (Randalstown, UK), R.J. Mairs (Crumlin, UK) and R. Hoey (Co Antrim, UK) 173

Micro-Ingredients
Trace minerals in fish nutrition
T. Watanabe, V. Kiron and S. Satoh (Tokyo, Japan) 185
Pathological findings owing to the lack of ascorbic acid in cultured gilthead bream (*Sparus aurata* L.)
M.N. Alexis, K.K. Karanikolas (Athens, Greece) and R.H. Richards (Stirling, UK) 209
Stability and bioavailability of vitamin C-glucose in *Clarias* hybrid catfish (*Clarias gariepinus* × *Clarias macrocephalus*)
J. Khajarern and S. Khajarern (Khon Kaen, Thailand) 219
Different concentrations of ascorbyl-2-monophosphate-magnesium as dietary sources of vitamin C for seabass, *Lates calcarifer*
W. Phromkunthong (Heidelberg, Federal Republic of Germany), M. Boonyaratpalin (Songkhla, Thailand) and V. Storch (Heidelberg, Federal Republic of Germany) 225
The effect of supplemental ascorbic acid in enriched live food for *Clarias gariepinus* larvae at startfeeding
G. Merchie, P. Lavens (Gent, Belgium), J. Verreth (Wageningen, The Netherlands), F. Ollevier (Leuven, Belgium), H. Nelis, A. De Leenheer (Gent, Belgium), V. Storch (Heidelberg, Germany) and P. Sorgeloos (Gent, Belgium) 245
Growth and body composition of juvenile red drum (*Sciaenops ocellatus*) fed diets containing lecithin and supplemental choline
S.R. Craig and D.M. Gatlin III (College Station, TX, USA) 259
Effects of different levels of vitamin K in diets for cod (*Gadus morhua*)
E. Grahl-Madsen and Ø. Lie (Bergen, Norway) 269
Usefulness of *Ascophyllum* meal as a feed additive for red sea bream, *Pagrus major*
H. Nakagawa, T. Umino and Y. Tasaka (Higashi-hiroshima, Japan) 275

General Nutrition
Nutrient requirements of marine food fish cultured in Southeast Asia
M. Boonyaratpalin (Bangkok, Thailand) 283
Nutritional properties of microalgae for mariculture
M.R. Brown, S.W. Jeffrey, J.K. Volkman and G.A. Dunstan (Hobart, Tas., Australia) 315
The role of microorganisms in aquaculture ponds
D.J.W. Moriarty (Wellington Point, Australia) 333
The potential of certain indigenous copepod species as live food for commercial fish larval rearing
L. Shansudin, M. Yusof, A. Azis and Y. Shukri (Kuala Terengganu, Malaysia) 351
Effect of starvation on some morphological and biochemical parameters in white sturgeon, *Acipenser transmontanus*
S.S.O. Hung (Davis, CA, USA), W. Liu (Nanchang, PR China), H. Li (Tianjin, PR China), T. Storebakken (Sunndalsøra, Norway) and Y. Cui (Wuhan, PR China) 357

Feeding Strategies and Behavior

Suitability of a continuous-flow chamber for investigating fish larvae/fry growth responses
P.T. Arumugam (Selangor D.E., Malaysia) 365
Metabolic response to feeding rates in common carp, *Cyprinus carpio*
S. Shimeno, T. Shikata, H. Hosokawa, T. Masumoto (Nankoku, Japan) and D. Kheyyali (Rabat, Morocco) 371
Feed preparation and feed management strategies within semi-intensive fish farming systems in the tropics
A.G.J. Tacon (Rome, Italy) and S.S. De Silva (Warrnambool, Vic., Australia) 379
Anorexia in one-sea-winter Atlantic salmon (*Salmo salar*) during summer, associated with sexual maturation
S. Kadri (Glasgow, UK), J.E. Thorpe (Pitlochry, UK) and N.B. Metcalfe (Glasgow, UK) 405
Evidence for adaptive matching of appetite in juvenile Atlantic salmon (*Salmo salar*) with regular seasonal rhythms of food availability
A.L. Simpson (Glasgow, UK) and J.E. Thorpe (Pitlochry, UK) 411